

# 2017-18 School Year New York State Immunization Requirements for School Entrance/Attendance<sup>1</sup>

**NOTES:**

Children in a prekindergarten setting should be age-appropriately immunized. The number of doses depends on the schedule recommended by the Advisory Committee on Immunization Practices (ACIP). For grades Pre-k through 9, intervals between doses of vaccine should be in accordance with the ACIP-recommended immunization schedule for persons 0 through 18 years of age. (Exception: intervals between doses of polio vaccine DO NOT need to be reviewed for grades 4, 5, 10, 11 and 12.) Doses received before the minimum age or intervals are not valid and do not count toward the number of doses listed below. Intervals between doses of vaccine DO NOT need to be reviewed for grades 10 through 12. See footnotes for specific information for each vaccine. Children who are enrolling in grade-less classes should meet the immunization requirements of the grades for which they are age equivalent.

**Dose requirements MUST be read with the footnotes of this schedule.**

| Vaccines   | Prekindergarten<br>(Day Care,<br>Head Start,<br>Nursery<br>or Pre-k) | Kindergarten<br>and Grades<br>1, 2 and 3   | Grades<br>4 and 5 | Grades<br>6, 7, 8<br>and 9   | Grades<br>10, 11<br>and 12   |
|--|--|--|-------------------|--|--|
| Diphtheria and Tetanus toxoid-containing vaccine and Pertussis vaccine (DTaP/DTP/Tdap/Td) <sup>2</sup> | 4 doses  | 5 doses<br>or 4 doses<br>if the 4th dose was received at 4 years or older or<br>3 doses<br>if 7 years or older and the series was started at 1 year or older           |                   | 3 doses  |  |
| Tetanus and Diphtheria toxoid-containing vaccine and Pertussis vaccine booster (Tdap) <sup>3</sup>     | Not applicable   |  |                   | 1 dose   |  |
| Polio vaccine (IPV/OPV) <sup>4</sup>   | 3 doses  | 4 doses<br>or 3 doses<br>if the 3rd dose was received at 4 years or older  | 3 doses           | 4 doses<br>or 3 doses if the 3rd dose was received at 4 years or older | 3 doses  |
| Measles, Mumps and Rubella vaccine (MMR) <sup>5</sup>  | 1 dose   | 2 doses  |                   |  |  |
| Hepatitis B vaccine <sup>6</sup>   | 3 doses  | 3 doses<br>or 2 doses<br>of adult hepatitis B vaccine (Recombivax) for children who received the doses at least 4 months apart between the ages of 11 through 15 years |                   |  |  |
| Varicella (Chickenpox) vaccine <sup>7</sup>  | 1 dose   | 2 doses  | 1 dose            | 2 doses  | 1 dose   |
| Meningococcal conjugate vaccine (MenACWY) <sup>8</sup>   | Not applicable   |  |                   | Grades 7 and 8:<br>1 dose  | Grade 12:<br>2 doses<br>or 1 dose<br>if the dose was received at 16 years or older |
| Haemophilus influenzae type b conjugate vaccine (Hib) <sup>9</sup>                                     | 1 to 4 doses   | Not applicable   |                   |  |  |
| Pneumococcal Conjugate vaccine (PCV) <sup>10</sup>   | 1 to 4 doses   | Not applicable   |                   |  |  |